




General Catalog Pipe Tools

2022

Dedicated to pipe tools



Drain Cleaning Machine

Hand drain cleaners

Hand drain cleaners are ideal for quick and safe removal of obstructions in the toilet. Specially designed to traverse tough traps. Vinyl guard protects damage to toilets.

- Large, ergonomically designed handles
- New durable, kink-resistant, 1/2" compression-wrapped inner core cable.
- High quality tools provide fast and safe cleaning of toilet obstructions.
- Available in either drop head or bulb head models.
- Three-tier composite cable Anti-Kinking.



P-1

P-3H



P-2

P-4




P-3

P-6

Catalog No.	Model No.	Description		Weight (Kg)
		mm*m	in.*ft	
631010	P-1	Φ9.5*0.9m	3/8"*3'	1.1
631011	P-2	Φ0.8*0.75m	5/16"*2 1/2'	0.9
631012	P-3	Φ12.7*0.9m	1/2"*3'	1.7
631013	P-3H	Φ12.7*0.9m	1/2"*3'	1.4
631014	P-4	Φ8*1.25m	5/16"*4'	1.1
631015	P-6	Φ12.7*1.8m	1/2"*6'	2.2



Drop Head



Multi-cable



Specially designed to traverse tough traps

Three-tier composite cable Anti-Kinking.



Catalog No.	Model No.	Description	Weight (Kg)
631016	P-12	1 piece Φ12mm *1M super flexible soft shaft with bulb auger	1.33
		2 piece Φ12mm *1M soft shaft	
		1 piece quick connector	




Φ12mm flexible soft shaft



Φ12mm soft shaft



Quick connector



Cable coupling



Drill machine

Optional configuration

Drain Cleaning Machine

Hand drain cleaners

Hand drain cleaners are ideal for quick and safe removal of obstructions in the toilet. Specially designed to traverse tough traps. Vinyl guard protects damage to toilets.



P-25S

- Applicable for household small pipes of 50mm (2") in lavatories, bathrooms, kitchens, different types are provided to choose.
- Soft shafts of $\Phi 6\text{mm}$ (1/4") and $\Phi 8\text{mm}$ (5/16") are more suitable for removing pipe blockages in complex small diameter pipes like traps.
- Simple in structure, Easy-to-handle.

Catalog No.	Model No.	Description		Weight (Kg)
		mm*m	in.*ft	
631020	P-25S-1	$\Phi 6 \times 1.5\text{m}$	1/4"*5'	0.3
631021	P-25S-2	$\Phi 6 \times 3\text{m}$	1/4"*10'	0.5
631022	P-25S-3	$\Phi 6 \times 4.5\text{m}$	1/4"*15'	0.7
631023	P-25S-4	$\Phi 8 \times 3\text{m}$	5/16"*10'	0.8
631024	P-25S-5	$\Phi 8 \times 4.5\text{m}$	5/16"*15'	1.2
631025	P-25S-6	$\Phi 8 \times 6\text{m}$	5/16"*20'	1.6



P-48S

- Soft shafts are suitable for removing all kinds of complex indoor pipe blockages.
- Applicable for household small pipes of $\Phi 50\text{mm}$ (2") in lavatories, bathrooms and kitchens, different types are provided to choose.
- The crank handle is simple and flexible, and the soft shaft is easy to extend and retract.
- Simple in structure, Easy-to-handle. Release the locking screw, insert a soft shaft of certain length into the pipe, latch the lock and rotate the handle, and press it, repeated operation will easily remove the pipe blockages.

Catalog No.	Model No.	Description		Weight (Kg)
		mm*m	in.*ft	
631026	P-48S-1	$\Phi 8 \times 3\text{m}$	5/16"*10'	1.0
631027	P-48S-2	$\Phi 8 \times 4.5\text{m}$	5/16"*15'	1.4
631028	P-48S-3	$\Phi 8 \times 6\text{m}$	5/16"*20'	1.8



P-3S

- Applicable for household small pipes of $\Phi 32 - 75\text{mm}$ (1 1/4"-3") in lavatories, bathrooms, kitchens, different types are provided to choose.
- Flexible soft shafts of $\Phi 16\text{mm}$ (5/8") are more suitable for removing pipe blockages in complex small diameter pipes like traps.
- The soft shafts can be extended. Easy-to-handle.

Catalog No.	Model No.	Spec.	Description		Weight (Kg)
			mm*m	in.*ft	
631030	P-3S-16a	Hand+ flexible soft shaft + key	$\Phi 16 \times 2.3\text{m}$	5/8"*7 1/2'	2.0
631031	P-3S-16b	Hand+ soft shaft +cutter + key	$\Phi 16 \times 2.3\text{m}$	5/8"*7 1/2'	2.4
631032	P-3S-16c	Hand+ soft shaft +cutter + key	$\Phi 16 \times 4.6\text{m}$	5/8"*15'	3.1

Drain Cleaning Machine

Hand drain cleaners

Hand drain cleaners are designed to connect to any drill to quickly open clogged kitchen, bathroom and laundry sinks.



W-38S

- Applicable for household small pipes of 50mm (2") in lavatories, bathrooms, kitchens, different types are provided to choose.
- Flexible soft shafts of $\Phi 6$ (1/4") mm are more suitable for removing pipe blockages in complex small diameter pipes like traps.
- Flexible soft shafts are put in ABS plastics drum, light and handy.
- Simple in structure, easy-to-handle. Unlock the lock, and insert a soft shaft of certain length into the pipe, latch the lock and rotate the handle, press the handle, and repeated operation will easily remove the pipe blockages.

Catalog No.	Model No.	Description		Weight (Kg)
		mm*m	in.*ft	
631040	W-38S-2	$\Phi 6 \times 4.5m$	1/4"*15'	1.3
631041	W-38S-3	$\Phi 6 \times 6m$	1/4"*20'	1.6



W-50S

- Applicable for household small pipes of $\Phi 20mm - 75mm$ (3/4" - 3") in lavatories, bathrooms and kitchens, different types are provided to choose.
- Soft shafts are suitable for removing all kinds of complex indoor pipe blockages.
- Flexible soft shafts are put in large metal drum, to ensure cleaner and more convenient use.
- Simple in structure, easy-to-handle. Release the locking screw, insert a soft shaft of certain length into the pipe, latch the lock and rotate the handle, and press it, repeated operation will easily remove the pipe blockages.

Catalog No.	Model No.	Description		Weight (Kg)
		mm*m	in.*ft	
631050	W-50S-1	$\Phi 8 \times 4.5m$	5/16"*15'	2.5
631051	W-50S-2	$\Phi 8 \times 6m$	5/16"*20'	2.9
631052	W-50S-3	$\Phi 10 \times 4.5m$	3/8"*15'	2.8
631053	W-50S-4	$\Phi 10 \times 6m$	3/8"*20'	3.3



Drain Cleaning Machine

Hand drain cleaners

Hand drain cleaners are designed to connect to any drill to quickly open clogged kitchen, bathroom and laundry sinks.



W-50SZ

- Unique design with power and manual, easy to connect with any drill.
- Applicable for household small pipes of $\Phi 20\text{mm}-75\text{mm}$ (3/4"-3") in lavatories, bathrooms and kitchens, different types are provided to choose.
- Soft shafts are suitable for removing all kinds of complex indoor pipe blockages.
- Flexible soft shafts are put in large metal drum to ensure cleaner and more convenient use.
- Auto-Feed device feed and back the soft shaft.
- Simple in structure, easy-to-handle. Release the locking screw, insert a soft shaft of certain length into the pipe. latch the lock and rotate the handle, and press it, repeated operation will easily remove the pipe blockages.
- It can be driven by drills. Have a conversion device, remove the handle, the hexagon bolt into drills than tighten.

Catalog No.	Model No.	Description		Weight (Kg)
		mm*m	in.*ft	
631060	W-50SZ-1	$\Phi 8 \times 6\text{m}$	5/16"*20'	2.6
631061	W-50SZ-2	$\Phi 8 \times 7.6\text{m}$	5/16"*25'	3.2



Specially designed connect with drill machine



W-60SZ

- Unique design with power and manual, easy to connect with any drill.
- Applicable for both indoor small pipes of $\Phi 20\text{mm}-75\text{mm}$ (3/4"-3") in lavatories.
- The ABS plastics drum with high strength, light weight, large capacity. Soft shafts of $\Phi 8\text{mm}$ (5/16") and $\Phi 10\text{mm}$ (3/8") can be used.
- Entirely sealed structure, flexible soft shafts are put in drum, to ensure cleaner and more convenient use.
- Auto-Feed device feed and back the soft shaft.
- Simple in structure, easy-to-handle. Release the locking screw, insert a soft shaft of certain length into the pipe. latch the lock and rotate the handle, and press it, repeated operation will easily remove the pipe blockages.
- It can be driven by drills. Have a conversion device, remove the handle, the hexagon bolt into drills than tighten..

Catalog No.	Model No.	Description		Weight (Kg)
		mm*m	in.*ft	
631070	W-60SZ	$\Phi 8 \times 10.7\text{m}$	5/16"*35'	4.1
631071	W-60SZ-1	$\Phi 10 \times 7.6\text{m}$	3/8"*25'	4.0



Specially designed connect with drill machine

Drain Cleaning Machine

Pneumatic drain cleaners



W-10
W-10A

Air powered super plunger quickly and cleanly removes blockages from 3/4" - 4" Pipes and Drains.

- Force pump for use by plumbers and drain cleaning operatives. Quickly and easily removes blockages in drain, toilet pans, sinks, baths and waste pipes.
- Four adaptors for use on different sewer lines.
- Flexible, In all directions adjustable handle, Optimal adaption to the cleaning job.
- Optimal sealed system and therefore the highest suction and pressure power with the adaptor sealing lip and main body.



W-16
W-16A

Catalog No.	Model No.	Description	Weight (Kg)
631080	W-10	Main machine Adaptor II Adaptor III	1.8
631081	W-10A	Main machine Adaptor I Adaptor II Adaptor III	2.2
631082	W-16	Main machine Adaptor II Adaptor III	2.38
631083	W-16A	Main machine Adaptor I Adaptor II Adaptor III	2.6



Adaptor



W-4

- Applicable for blockages in indoor facilities as in vegetable rinsing basins, washing basins, kitchens, bathrooms and lavatories, and bathing facilities.
- Create a shock wave that strikes a clog at 0.7Mpa. Air pump clears clogged drains powerfully, quickly, and safely.
- Easy and safe in operation. Inflate the pump with enough shock wave for the seriousness of the blockage, usually less than 0.7 Mpa ; press the seal piston on the pipe opening and release quickly, the sudden air pressure will remove the blockages in the pipe.
- Used to seal off drain openings. Rubber plugs both directions fit for different diameter and shapes.
- Air release extension pipes will accommodate complex working environment.

Catalog No.	Model No.	Description	Weight (Kg)
631084	W-4	Complete set with adaptor	3.8



Drain Cleaning Machine

Hand power drain cleaners

The Welping drain cleaner series are applicable to removal of various blockages of pipelines. The series adopt flexible shafts, the combination of high-speed rotating system and manual propelling or automatic feeding system to drive the drill to remove effectively various debris, greases, roots, wastes and chemical deposits etc. stuck on pipeline

- Applicable for both indoor and outdoor small pipes of $\Phi 20-65\text{mm}$ ($3/4'' - 2\ 1/2''$) in lavatories.
- Using $\Phi 8\text{mm}$ ($5/16''$) enhanced inner core flexible soft shafts, improve torque transmission, against twisting and winding.
- Entirely sealed structure, flexible soft shafts are put in large metal barrels, to ensure cleaner and more convenient use.
- To release or engage the cable by hand with a quick movement of W-60 the grip shield.
- To feed and back the cable just control W-60Z Auto-feed device. Max feed speed is 5m/Min.
- Shift with stepless 0-600 rpm speed adjustable, for adept passage through curved pipes.
- Motor power: 705W



W-60Z



W-60



W-60Z-1



Catalog No.	Model No.	Power	Description	Weight (Kg)	Packing size (cm)
632010	W-60	705W,220V	$\Phi 8\text{mm} \times 7.6\text{m}$ ($5/16'' \times 25'$)	11.21	59*58*59/4pcs/CTN
632011	W-60	705W,110V	$\Phi 8\text{mm} \times 7.6\text{m}$ ($5/16'' \times 25'$)	11.21	59*58*59/4pcs/CTN
632020	W-60Z	705W,220V	$\Phi 8\text{mm} \times 7.6\text{m}$ ($5/16'' \times 25'$)	11.11	59*58*59/4pcs/CTN
632021	W-60Z	705W,110V	$\Phi 8\text{mm} \times 7.6\text{m}$ ($5/16'' \times 25'$)	11.11	59*58*59/4pcs/CTN
632030	W-60Z-1	705W,220V	$\Phi 8\text{mm} \times 7.6\text{m}$ ($5/16'' \times 25'$)	11.51	59*58*59/4pcs/CTN
632031	W-60Z-1	705W,110V	$\Phi 8\text{mm} \times 7.6\text{m}$ ($5/16'' \times 25'$)	11.51	59*58*59/4pcs/CTN

Drain Cleaning Machine

Hand power drain cleaners

The Welping drain cleaner series are applicable to removal of various blockages of pipelines. The series adopt flexible shafts, the combination of high-speed rotating system and manual propelling or automatic feeding system to drive the drill to remove effectively various debris, greases, roots, wastes and chemical deposits etc. stuck on pipeline.



W-62A

- Applicable for both indoor and outdoor small pipes of $\Phi 20-65\text{mm}$ ($3/4"-2\ 1/2"$) in lavatories.
- Using $\Phi 8\text{mm}$ ($5/16"$) and $\Phi 10\text{mm}$ ($3/8"$) enhanced inner core flexible soft shafts, improve torque transmission, against twisting and winding.
- Entirely sealed structure, flexible soft shafts are put in strong ABS drum, to ensure cleaner and more convenient use.
- Shift with stepless 0-600 rpm speed adjustable, for adept passage through curved pipes.
- Auto-feed device Feed and back soft shaft with maximum speed of 5m/min.
- Motor power: 705W.



Catalogue No.	Model No.	Power	Description	Weight (Kg)	Packing size (cm)
632040	W-62A-1	705W, 220V	$\Phi 8\text{mm} \times 10.7\text{m}$ ($5/16" \times 35'$)	11.05	59*58*59/4pc
632041	W-62A-1	705W, 110V	$\Phi 8\text{mm} \times 10.7\text{m}$ ($5/16" \times 35'$)	11.05	59*58*59/4pc
632042	W-62A-2	705W, 220V	$\Phi 10\text{mm} \times 7.6\text{m}$ ($3/8" \times 25'$)	10.71	59*58*59/4pc
632043	W-62A-2	705W, 110V	$\Phi 10\text{mm} \times 7.6\text{m}$ ($3/8" \times 25'$)	10.71	59*58*59/4pc



W-62B

- Applicable for both indoor and outdoor small pipes of $\Phi 20-65\text{mm}$ ($3/4"-2\ 1/2"$) in lavatories.
- Using $\Phi 8\text{mm}$ ($5/16"$) and $\Phi 10\text{mm}$ ($3/8"$) enhanced inner core flexible soft shafts, improve torque transmission, against twisting and winding.
- Entirely sealed structure, flexible soft shafts are put in strong ABS drum, to ensure cleaner and more convenient use.
- Shift with stepless 0-550 rpm speed adjustable, for adept passage through curved pipes.
- Auto-feed device feed and back soft shaft with maximum speed of 5m/min.
- 14.4V, Low speed high power charged drill, the maximum torque is 20N.m.
- Includes two pieces 1.3Ah capacious Ni-Cd battery, a charger.




Catalogue No.	Model No.	Power	Description	Weight (Kg)	Packing size (cm)
632050	W-62B-1	705W, 220V	$\Phi 8\text{mm} \times 10.7\text{m}$ ($5/16" \times 35'$) Charger 14.4V Battery $\times 2$	12.44	59*58*59 4pcs/CTN
632051	W-62B-1	705W, 110V	$\Phi 8\text{mm} \times 10.7\text{m}$ ($5/16" \times 35'$) Charger 14.4V Battery $\times 2$	12.44	59*58*59 4pcs/CTN
632052	W-62B-2	705W, 220V	$\Phi 10\text{mm} \times 7.6\text{m}$ ($3/8" \times 25'$) Charger 14.4V Battery $\times 2$	12.1	59*58*59 4pcs/CTN
632053	W-62B-2	705W, 110V	$\Phi 10\text{mm} \times 7.6\text{m}$ ($3/8" \times 25'$) Charger 14.4V Battery $\times 2$	12.1	59*58*59 4pcs/CTN

Drain Cleaning Machine

Hand power drain cleaners

W70 series are applicable to removal of various blockages of pipelines. The series adopt flexible shafts, the combination of high-speed rotating system and manual propelling or automatic feeding system to drive the drill to remove effectively various debris, greases, roots, wastes and chemical deposits etc. stuck on pipeline walls.

- Applicable for both indoor and outdoor small pipes of $\Phi 20$ -65mm (3/4" - 2 1/2") in lavatories.
- Using $\Phi 8$ mm (5/16") and $\Phi 10$ mm (3/8") enhanced inner core flexible soft shafts, improve torque transmission, against twisting and winding.
- The unique model design satisfies requirements of different operating situations.
- It can be used respectively after assembled or disassembled.
- With air foot switch, more safety, easy and effective in operation.
- Entirely sealed structure, flexible soft shafts are put in large metal barrels, to ensure cleaner and more convenient use.
- Auto-Feed device feed and back soft shaft with maximum speed of 5m/min.
- Shift with stepless 0-600 rpm speed adjustable, for adept passage through curved pipes.
- Motor power: 705W.



Catalog No.	Model No.	Power	Description	Weight (Kg)	Packing size (cm)
632060	W-70	705W,220V	$\Phi 8$ mm*10.7m (5/16" *35') Frame	10.9	58*27*47
632061	W-70	705W,110V	$\Phi 8$ mm*10.7m (5/16" *35') Frame	10.9	58*27*47
632062	W-70-1	705W,220V	$\Phi 10$ mm*7.6m (3/8" *25') Frame	10.56	58*27*47
632063	W-70-1	705W,110V	$\Phi 10$ mm*7.6m (3/8" *25') Frame	10.56	58*27*47



Drain Cleaning Machine









Electric drain cleaners

WP75 drain cleaning machine is considered by Professional Plumbers to be the perfect all around Sink, Shower, and Floor Drain machine. This Compact Versatile machine is capable of using 5/16" and 5/8" cables. It cleans drains from 3/4" up to 4" and runs up to 100 feet so it will tackle any job.

- Applicable for all kinds of indoor pipes of $\Phi 20-100\text{mm}$ (3/4"-4").
- Lightweight, strong, convenient flexible in operation, using soft shafts of $\Phi 8\text{mm}$ (5/16") and $\Phi 16\text{mm}$ (5/8") can be used.
- Soft shaft of $\Phi 8\text{mm}$ (5/16") are used to clean pipes of $\Phi 20-75\text{mm}$ in diameter, especially applicable to complex pipes of small diameters like traps.
- Flexible soft shafts of $\Phi 16\text{mm}$ (5/8") are used to clean small complex.
- Using sectional helical flexible shafts of $\Phi 16\text{mm}$ (5/8") , pipes of $\Phi 32-100\text{mm}$ (1 1/4"-4") in diameter can be cleaned, the soft shafts can be lengthened at will.
- Press the clutch, the rotating speed is up to 400rpm, and the soft shaft stops when the handle is released.
- Input Power:390W.



Catalog No.	Model No.	Power	Description	Weight (Kg)	Packing size (cm)
637010	Wp75	390W,220V	8 pieces $\Phi 16\text{mm}$ *2.3m soft shaft 8 pieces $\Phi 16\text{mm}$ drill head	32	46*41*48
637011	Wp75	390W,110V	8 pieces $\Phi 16\text{mm}$ *2.3m soft shaft 8 pieces $\Phi 16\text{mm}$ drill head	32	46*41*48

							
Straight Auger	Bulb Auger	Flexible Bulb Auger	Retrieving Auger	4-Blade Cutter	Grease Cutter	Sawtooth Cutter	C-Cutter

Drain Cleaning Machine

Electric drain cleaners

WP150 applicable for all kinds of indoor and outdoor pipes of 20-150mm.
 Easy to transport, ideal for mobile use. Safe and kink-free guidance of the spiral, clean use
 Compact, robust and powerful, wide application scope, even by the toughest pipe obstructions
 Support is provided, to adjust the height and angle of the machine to accommodate different working environment.

- Applicable for all kinds of indoor pipes of $\Phi 20-150\text{mm}$ (3/4"-6").
- Multifunctional, heavy duty, compact structure, wide application scope, using soft shafts of $\Phi 8\text{mm}$ (5/16"), $\Phi 16\text{mm}$ (5/8") and $\Phi 22\text{mm}$ (7/8").
- Support is provided, to adjust the height and angle of the machine to accommodate different working environment.
- Using soft shafts of $\Phi 8\text{mm}$ (5/16"), the cleaning diameter range is $\Phi 20-75\text{mm}$, especially suitable for small diameter pipes or complex pipes like traps.
- Using flexible soft shafts of $\Phi 16$ (5/8"), it is more suitable for small complex pipelines.
- Using sectional helical flexible shafts of $\Phi 16\text{mm}$ (5/8"), pipes of $\Phi 32-100\text{mm}$ (3/4"-4") in diameter can be cleaned, the soft shafts can be lengthened at will.
- Using sectional helical flexible shafts of $\Phi 22\text{mm}$ (7/8"), pipes of $\Phi 50-150\text{mm}$ (2"-6") in diameter can be cleaned, the soft shafts can be lengthened at will.
- Press the clutch, the rotating speed is up to 400rpm, and the soft shaft stops when the handle is released.
- Input power: 570W.

Drive lever can be locked in stop position
 Very robust, serves as carrying handle

Aluminium frame

Accessory barrel

6 pieces $\Phi 16\text{mm} \times 2.3\text{m}$ soft shaft
 3 pieces $\Phi 22\text{mm} \times 4.6\text{m}$ soft shaft

$\Phi 8\text{mm} \times 5\text{m}$ soft shaft
 combination



Side cover - high strength
 engineering plastics

Drill head set

Catalog No.	Model No.	Power	Description	Weight (Kg)	Packing size (cm)
637020	WP150	570W, 220V	6 pieces $\Phi 16\text{mm} \times 2.3\text{m}$ soft shaft 3 pieces $\Phi 22\text{mm} \times 4.6\text{m}$ soft shaft 4 pieces $\Phi 16\text{mm}$ drill head 4 pieces $\Phi 22\text{mm}$ drill head	43	67*50*48
637021	WP150	570W, 110V	6 pieces $\Phi 16\text{mm} \times 2.3\text{m}$ soft shaft 3 pieces $\Phi 22\text{mm} \times 4.6\text{m}$ soft shaft 4 pieces $\Phi 16\text{mm}$ drill head 4 pieces $\Phi 22\text{mm}$ drill head	43	67*50*48

16mm

22mm



Drain Cleaning Machine


Electric drain cleaners

- Applicable for all kinds of indoor pipes of $\Phi 50$ -200mm (2"-8").
- Multifunctional, powerful motor with single capacitor, wide application scope, using soft shafts of $\Phi 16$ mm (5/8") and $\Phi 22$ mm (7/8") and $\Phi 30$ mm (1 1/4").
- Support is provided, to adjust the height and angle of the machine to accommodate different working environment.
- Using sectional helical flexible shaft $\Phi 16$ mm (5/8"), pipes of $\Phi 50$ -150mm is $\Phi 32$ -100mm. (1 1/4"-4") in diameter can be cleaned, the soft shafts can be lengthened at will.
- Using sectional helical flexible shafts of $\Phi 22$ mm (7/8"), pipes of $\Phi 50$ -150mm (2"-6") in diameter can be cleaned, the soft shafts can be lengthened at will.
- Using sectional helical flexible shafts of $\Phi 30$ mm (1 1/4"), pipes of $\Phi 50$ -200mm (2"-8") in diameter can be cleaned, the soft shafts can be lengthened at will.
- Press the clutch, the rotating speed is up to 400rpm, and the soft shaft stops when the handle is released.
- Fully sealed transmission device, effectively avoiding the rust of transmission system by pipeline blockage, such as grease, sewage, etc. Keeps the inside machine clean.
- Input power: 1400W.



WP180 (30mm standard set)

Catalog No.	Model No.	Power	Description	Weight (Kg)	Packing size (cm)
637030	WP180	1400W, 220V	4 pieces $\Phi 30$ mm*4.6m soft shaft 5 pieces $\Phi 30$ mm drill head	62	64*62*68
637031	WP180	1400W, 110V	4 pieces $\Phi 30$ mm*4.6m soft shaft 5 pieces $\Phi 30$ mm drill head	62	64*62*68
637032	WP180	1400W, 220V	3 pieces $\Phi 22$ mm*4.6m soft shaft (optional) 4 pieces $\Phi 22$ mm drill head	43	64*62*68
637033	WP180	1400W, 110V	3 pieces $\Phi 22$ mm*4.6m soft shaft (optional) 4 pieces $\Phi 22$ mm drill head	43	64*62*68
637034	WP180	1400W, 220V	6 pieces $\Phi 16$ mm*2.3m soft shaft (optional) 4 pieces $\Phi 30$ mm drill head	38	64*62*68
637035	WP180	1400W, 110V	6 pieces $\Phi 16$ mm*2.3m soft shaft (optional) 4 pieces $\Phi 30$ mm drill head	38	64*62*68



Drain Cleaning Machine

Electric drain cleaners

These series are the finest all-around sewer and drain cleaning machine.

One-man can easily clean the heaviest blockages – indoors or out.

High-speed cleaning gets the job done faster and better.

Unique, easy-to-use instant-acting cable clutch maximizes.

- Applicable for all kinds of outdoor pipes of $\Phi 50$ -200mm (2"-8").
- The choice type of multifunction, heavy duty type, the main machine and soft shafts have walking wheels, one man is capable of doing complex pipe cleaning jobs easily.
- Special drill shelf are easy to maintain and use.
- Using sectional helical flexible shafts of $\Phi 30$ mm (1 ¼"), pipes of $\Phi 50$ -200mm (2"-8") in diameter can be cleaned, the soft shafts can be lengthened at will.
- Press the clutch, the rotating speed is up to 700 rpm, and the soft shaft stops when the handle is released.
- Input Power: 1100W.



Catalog No.	Model No.	Power	Description	Weight (Kg)	Packing size (cm)
637040	WP200	1100W,220V	4 pieces $\Phi 30$ mm \times 4.6m soft shaft 6 pieces $\Phi 30$ mm drill head	110	116*64*73
637041	WP200	1100W,110V	4 pieces $\Phi 30$ mm \times 4.6m soft shaft 6 pieces $\Phi 30$ mm drill head	110	116*64*73

					
Straight Auger	Funnel Auger	Retrieving Auger	Grease Cutter	Sawtooth cutter	C-Cutter

Drain Cleaning Machine


Electric drain cleaners

These series are the finest all-around sewer and drain cleaning machine. One-man can easily clean the heaviest blockages – indoors or out. High-speed cleaning gets the job done faster and better. Unique, easy-to-use instant-acting cable clutch maximizes.

- Applicable for all kinds of outdoor pipes of $\Phi 50$ -200mm (2"-8").
- The choice type of multifunction, heavy duty type, the main machine and soft shafts have walking wheels, one man is capable of doing complex pipe cleaning jobs easily.
- Special drill shelf are easy to maintain and use.
- Using sectional helical flexible shafts of $\Phi 30$ mm (1 ¼"), pipes of $\Phi 50$ -200mm (2"-8") in diameter can be cleaned, the soft shafts can be lengthened at will.
- Press the clutch, the rotating speed is up to 700 rpm, and the soft shaft stops when the handle is released.
- Input Power: 1100W.



Catalog No.	Model No.	Power	Description	Weight (Kg)	Packing size (cm)
637050	WP200-1	1100W,220V	4 pieces $\Phi 30$ mm x 4.6m soft shaft 6 pieces $\Phi 30$ mm drill head	110	116*64*73
637051	WP200-1	1100W,110V	4 pieces $\Phi 30$ mm x 4.6m soft shaft 6 pieces $\Phi 30$ mm drill head	110	116*64*73

					
Straight Auger	Funnel Auger	Retrieving Auger	Grease Cutter	Sawtooth cutter	C-Cutter

Drain Cleaning Machine



Electric drain cleaners

These series are the finest all-around sewer and drain cleaning machine. One-man can easily clean the heaviest blockages – indoors or out. High-speed cleaning gets the job done faster and better. Unique, easy-to-use instant-acting cable clutch maximizes.

- Applicable for all kinds of outdoor pipes of $\Phi 50$ -200mm (2"-8").
- The choice type of multifunction, heavy duty type, the main machine and soft shafts have walking wheels, one man is capable of doing complex pipe cleaning jobs easily.
- Special drill shelf are easy to maintain and use.
- Using sectional helical flexible shafts of $\Phi 30$ mm (1 ¼"), pipes of $\Phi 50$ -200mm (2"-8") in diameter can be cleaned, the soft shafts can be lengthened at will.
- Press the clutch, the rotating speed is up to 700 rpm, and the soft shaft stops when the handle is released.
- Input Power: 1100W.



Catalog No.	Model No.	Power	Description	Weight (Kg)	Packing size (cm)
637060	WP200-1A	1100W,220V	4 pieces $\Phi 30$ mm \times 4.6m soft shaft 6 pieces $\Phi 30$ mm drill head	110	116*64*73
637061	WP200-1A	1100W,110V	4 pieces $\Phi 30$ mm \times 4.6m soft shaft 6 pieces $\Phi 30$ mm drill head	110	116*64*73

					
Straight Auger	Funnel Auger	Retrieving Auger	Grease Cutter	Sawtooth cutter	C-Cutter

Drain Cleaning Machine

Electric drain cleaners

The Welping drain cleaner series are applicable to removal of various blockages of pipelines. The series adopt flexible shafts, the combination of high-speed rotating system and manual propelling or automatic feeding system to drive the drill to remove effectively various debris, greases, roots, wastes and chemical deposits etc.

- Applicable for pipes of $\Phi 200-600\text{mm}$ (8"-24") in civil projects.
- Mobile, heavy duty, easy and more powerful operation.
- Four-wheel cart easily rolls to the job.
- Using removable sectional flexible shafts of $\Phi 8\text{mm}$ (5/16"), with large bending resistance, twisting resistance and ductility resistance. It can be extended to any length.
- Four-speed transmission, all adjustable: 180rpm-600rpm. Allows the operator to vary the flexible shaft spinning speed to fit the application.
- Input power: 2200W.



Catalog No.	Model No.	Power	Description	Weight (Kg)	Packing size (cm)
637100	WP600	2200W, 220V	30 pieces $\Phi 8\text{mm}$ Bar Elastic soft shafts 4 piece $\Phi 22\text{mm}$ drill head	140	127*75*106
637101	WP600	2200W, 110V	30 pieces $\Phi 8\text{mm}$ Bar Elastic soft shafts 4 piece $\Phi 22\text{mm}$ drill head	140	127*79*106



Drain Cleaning Machine

Electric drain cleaners

AP100 is a electric Drain Cleaning Machine.

Applicable for all kinds of indoor pipes of $\Phi 32-100\text{mm}$.

Max. reach up to 30M with $\Phi 16\text{mm}$ sectional- type soft shafts.

Compact structure, Lightweight and easy operation.





Support is provided, to adjust the height and angle of the machine to accommodate different working environment.

4 pieces 16mm diameter drills; cutter, retrieving gimlets and others Key, use it for changing accessories.

- Applicable for all kinds of indoor pipes of $\Phi 32-100\text{mm}$ (1 1/4"-4").
- Compact structure, lightweight and easy operation.
- Press the handle, with the locking function, save man power in operation.
- Support is provided, to adjust the height and angle of the machine to accommodate different working environment.
- Using sectional helical flexible shafts of $\Phi 16\text{mm}$ (5/8"), pipes of $\Phi 32-100\text{mm}$ (1 1/4"-4") in diameter can be cleaned, the soft shafts can be lengthened at will.
- Press the clutch, the rotating speed is up to 400 rpm, and the soft shaft stops when the handle is released.
- Input Power: 390W.



Catalog No.	Model No.	Power	Description	Weight (Kg)	Packing size (cm)
637070	AP100	390W,220V	6 pieces $\Phi 16\text{mm}$ *2.3m soft shaft 4 pieces $\Phi 16\text{mm}$ drill head	21	42*38*38
637071	AP100	390W,110V	6 pieces $\Phi 16\text{mm}$ *2.3m soft shaft 4 pieces $\Phi 16\text{mm}$ drill head	21	42*38*38

			
Straight Auger	Retrieving Auger	4-Blade Cutter	Grease Cutter

Drain Cleaning Machine

Electric drain cleaners

AP150 is applicable for all kinds of indoor and outdoor pipes of 20-150mm.



Compact, robust and powerful, wide application scope, even by the toughest pipe obstructions

Support is provided, to adjust the height and angle of the machine to accommodate different working environment.

- Applicable for all kinds of indoor pipes of $\Phi 20-150\text{mm}$ (3/4"-6").
- Multifunctional, heavy duty, compact structure, wide application scope, using soft shafts of $\Phi 8\text{mm}$ (5/16"), $\Phi 16\text{mm}$ (5/8") and $\Phi 22\text{mm}$ (7/8").
- Support is provided, to adjust the height and angle of the machine to accommodate different working environment.
- Using soft shafts of $\Phi 8\text{mm}$ (5/16"), the cleaning diameter range is $\Phi 20-75\text{mm}$, especially suitable for small diameter pipes or complex pipes like traps.
- Using flexible soft shafts of $\Phi 16$ (5/8"), it is more suitable for small complex pipelines.
- Using sectional helical flexible shafts of $\Phi 16\text{mm}$ (5/8"), pipes of $\Phi 32-100\text{mm}$ (3/4"-4") in diameter can be cleaned, the soft shafts can be lengthened at will.
- Using sectional helical flexible shafts of $\Phi 22\text{mm}$ (7/8"), pipes of $\Phi 50-150\text{mm}$ (2"-6") in diameter can be cleaned, the soft shafts can be lengthened at will.
- Press the clutch, the rotating speed is up to 400 rpm, and the soft shaft stops when the handle is released.
- Input Power: 390W.



Catalog No.	Model No.	Power	Description	Weight (Kg)	Packing size (cm)
637080	AP150	390W, 220V	6 pieces $\Phi 16\text{mm} \times 2.3\text{m}$ soft shaft 3 pieces $\Phi 22\text{mm} \times 4.6\text{m}$ soft shaft 4 pieces $\Phi 16\text{mm}$ drill head 4 pieces $\Phi 22\text{mm}$ drill head	42	67*50*48
637081	AP150	390W, 110V	6 pieces $\Phi 16\text{mm} \times 2.3\text{m}$ soft shaft 3 pieces $\Phi 22\text{mm} \times 4.6\text{m}$ soft shaft 4 pieces $\Phi 16\text{mm}$ drill head 4 pieces $\Phi 22\text{mm}$ drill head	42	67*50*48



Drain Cleaning Machine

Electric drain cleaners

These series are the finest all-around sewer and drain cleaning machine. One-man can easily clean the heaviest blockages – indoors or out. High-speed cleaning gets the job done faster and better. Unique, easy-to-use instant-acting cable clutch maximizes.

- Applicable for all kinds of outdoor pipes of $\Phi 50$ -200mm (2"-8").
- The choice type of multifunction, heavy duty type, the main machine and soft shafts have walking wheels, one man is capable of doing complex pipe cleaning jobs easily.
- Special drill shelf are easy to maintain and use.
- Using sectional helical flexible shafts of $\Phi 30$ mm (1 ¼"), pipes of $\Phi 50$ -200mm (2"-8") in diameter can be cleaned, the soft shafts can be lengthened at will.
- Press the clutch, the rotating speed is up to 700 rpm, and the soft shaft stops when the handle is released.
- Input Power: 1100W.



Catalog No.	Model No.	Power	Description	Weight (Kg)	Packing size (cm)
637090	AP200	1100W,220V	4 pieces $\Phi 30$ mm \times 4.6m soft shaft 6 pieces $\Phi 30$ mm drill head	110	116*64*73
637091	AP200	1100W,110V	4 pieces $\Phi 30$ mm \times 4.6m soft shaft 6 pieces $\Phi 30$ mm drill head	110	116*64*73

					
Straight Auger	Funnel Auger	Retrieving Auger	Grease Cutter	Sawtooth cutter	C-Cutter

Drain Cleaning Machine

Electric drain cleaners

The Welping drain cleaner series are applicable to removal of various blockages of pipelines. The series adopt flexible shafts, the combination of high-speed rotating system and manual propelling or automatic feeding system to drive the drill to remove effectively various debris, greases, roots, wastes and chemical deposits etc. stuck on pipeline.

- Applicable for both indoor and outdoor of $\Phi 32\sim 100\text{mm}$ (1 ¼" - 4") in lavatories, bathrooms and kitchens. With $\Phi 10\text{mm}$ or $\Phi 12.7\text{mm}$ (3/8" or 1/2") inner core cable.
- Entirely sealed structure, flexible soft shafts are put in drum to ensure cleaner and more convenient use.
- Built-in Ground fault circuit interrupter (GFCI) and air foot switch, more convenient and safety operation.
- Drum spin at 300rpm.
- Input power: 390W



WP-300F




WP-300AF



Inner-core cable High Intensity Anti-twisting Anti-kinking High quality steel wire coiled around the steel wire rope tightly and special treated, the inner-core cable can meet the requirement of every heavy duty job.

Optional parts with 8" solid rubber wheel and removable handle, easily moving, light and handy, save time and effort.

Catalog No.	Model No.	Power	Description	Weight (Kg)	Packing size (cm)
634010	WP-300F	390W, 220V	$\Phi 12.7\text{mm} \times 15\text{m}$ (1/2" * 50') inner core cable 4 pieces $\Phi 16\text{mm}$ drill head	47	52*38*62
634011	WP-300F	390W, 110V	$\Phi 12.7\text{mm} \times 15\text{m}$ (1/2" * 50') inner core cable 4 pieces $\Phi 16\text{mm}$ drill head	47	52*38*62
634012	WP-300F	390W, 220V	$\Phi 10\text{mm} \times 23\text{m}$ (3/8" * 75') inner core cable 4 pieces $\Phi 16\text{mm}$ drill head (optional)	47	52*38*62
634013	WP-300F	390W, 110V	$\Phi 10\text{mm} \times 23\text{m}$ (3/8" * 75') inner core cable 4 pieces $\Phi 16\text{mm}$ drill head (optional)	47	52*38*62
634020	WP-300AF	390W, 220V	$\Phi 12.7\text{mm} \times 15\text{m}$ (1/2" * 50') inner core cable 4 pieces $\Phi 16\text{mm}$ drill head	50	57*38*65
634021	WP-300AF	390W, 110V	$\Phi 12.7\text{mm} \times 15\text{m}$ (1/2" * 50') inner core cable 4 pieces $\Phi 16\text{mm}$ drill head	50	57*38*65
634022	WP-300AF	390W, 220V	$\Phi 10\text{mm} \times 23\text{m}$ (3/8" * 75') inner core cable 4 pieces $\Phi 16\text{mm}$ drill head (optional)	50	57*38*65
634023	WP-300AF	390W, 110V	$\Phi 10\text{mm} \times 23\text{m}$ (3/8" * 75') inner core cable 4 pieces $\Phi 16\text{mm}$ drill head (optional)	50	57*38*65



Drain Cleaning Machine

Electric drain cleaners

The Welping drain cleaner series are applicable to removal of various blockages of pipelines. The series adopt flexible shafts, the combination of high-speed rotating system and manual propelling or automatic feeding system to drive the drill to remove effectively various debris, greases, roots, wastes and chemical deposits etc. stuck on pipeline.

- Applicable for both indoor and outdoor of $\Phi 32\sim 100\text{mm}$ (1 ¼" - 4") in lavatories, bathrooms and kitchens. With $\Phi 10\text{mm}$ or $\Phi 12.7\text{mm}$ (3/8" or 1/2") inner core cable.
- Open cage drum easily to inspect cable working and reserve for avoiding rusty problem.
- Built-in Ground fault circuit interrupter (GFCI) and air foot switch, more convenient and safety operation.
- Drum spin at 300rpm.
- Input power: 390W.



WP-300K




WP-300AK



Inner-core cable High Intensity Anti-twisting Anti-kinking High quality steel wire coiled around the steel wire rope tightly and special treated, the inner-core cable can meet the requirement of every heavy duty job.

Optional parts with 8" solid rubber wheel and removable handle, easily moving, light and handy, save time and effort.

Catalog No.	Model No.	Power	Description	Weight (Kg)	Packing size (cm)
634030	WP-300K	390W, 220V	$\Phi 12.7\text{mm} \times 15\text{m}$ (1/2" * 50') inner core cable 4 pieces $\Phi 16\text{mm}$ drill head	47	52*38*62
634031	WP-300K	390W, 110V	$\Phi 12.7\text{mm} \times 15\text{m}$ (1/2" * 50') inner core cable 4 pieces $\Phi 16\text{mm}$ drill head	47	52*38*62
634032	WP-300K	390W, 220V	$\Phi 10\text{mm} \times 23\text{m}$ (3/8" * 75') inner core cable 4 pieces $\Phi 16\text{mm}$ drill head (optional)	47	52*38*62
634033	WP-300K	390W, 110V	$\Phi 10\text{mm} \times 23\text{m}$ (3/8" * 75') inner core cable 4 pieces $\Phi 16\text{mm}$ drill head (optional)	47	52*38*62
634040	WP-300AK	390W, 220V	$\Phi 12.7\text{mm} \times 15\text{m}$ (1/2" * 50') inner core cable 4 pieces $\Phi 16\text{mm}$ drill head	50	57*38*65
634041	WP-300AK	390W, 110V	$\Phi 12.7\text{mm} \times 15\text{m}$ (1/2" * 50') inner core cable 4 pieces $\Phi 16\text{mm}$ drill head	50	57*38*65
634042	WP-300AK	390W, 220V	$\Phi 10\text{mm} \times 23\text{m}$ (3/8" * 75') inner core cable 4 pieces $\Phi 16\text{mm}$ drill head (optional)	50	57*38*65
634043	WP-300AK	390W, 110V	$\Phi 10\text{mm} \times 23\text{m}$ (3/8" * 75') inner core cable 4 pieces $\Phi 16\text{mm}$ drill head (optional)	50	57*38*65



Drain Cleaning Machine


Electric drain cleaners

The Welping drain cleaner series are applicable to removal of various blockages of pipelines. The series adopt flexible shafts, the combination of high-speed rotating system and manual propelling or automatic feeding system to drive the drill to remove effectively various debris, greases, roots, wastes and chemical deposits etc. stuck on pipeline

- Applicable for both indoor and outdoor of $\Phi 32\sim 100\text{mm}$ (1 1/4"-4") in lavatories, bathrooms and kitchens. With $\Phi 10\text{mm}$ or $\Phi 12.7\text{mm}$ (3/8" or 1/2") inner core cable.
- Entirely sealed structure, flexible soft shafts are put in drum, to ensure cleaner and more convenient use. With 8" solid rubber wheel and removable handle, easily moving, light and handy, save time and effort.
- Built-in Ground fault circuit interrupter (GFCI) and air foot switch, more convenient and safety operation.
- Auto-Feed device feed and back soft shaft with maximum speed of 5m/min.
- Drum spin at 300rpm.
- Input power: 390W



Catalog No.	Model No.	Power	Description	Weight (Kg)	Packing size (cm)
634050	WP-330ZF	390W, 220V	$\Phi 12.7\text{mm} \times 15\text{m}$ (1/2" * 50') inner core cable 4 pieces $\Phi 16\text{mm}$ drill head	52	57*38*65
634051	WP-330ZF	390W, 110V	$\Phi 12.7\text{mm} \times 15\text{m}$ (1/2" * 50') inner core cable 4 pieces $\Phi 16\text{mm}$ drill head	52	57*38*65
634052	WP-330ZF	390W, 220V	$\Phi 10\text{mm} \times 23\text{m}$ (3/8" * 75') inner core cable 4 pieces $\Phi 16\text{mm}$ drill head (optional)	52	57*38*65
634053	WP-330ZF	390W, 110V	$\Phi 10\text{mm} \times 23\text{m}$ (3/8" * 75') inner core cable 4 pieces $\Phi 16\text{mm}$ drill head (optional)	52	57*38*65



Drain Cleaning Machine


Electric drain cleaners

The Welping drain cleaner series are applicable to removal of various blockages of pipelines. The series adopt flexible shafts, the combination of high-speed rotating system and manual propelling or automatic feeding system to drive the drill to remove effectively various debris, greases, roots, wastes and chemical deposits etc. stuck on pipeline.

- Applicable for both indoor and outdoor of $\Phi 32\sim 100\text{mm}$ (1 1/4"-4") in lavatories, bathrooms and kitchens. With $\Phi 10\text{mm}$ or $\Phi 12.7\text{mm}$ (3/8" or 1/2") inner core cable,
- Open cage drum easily to inspect cable working and reserve for avoiding rusty problem.
- With 8" solid rubber wheel and removable handle, easily moving, light and handy, save time and effort.
- Built-in Ground fault circuit interrupter (GFCI) and air foot switch, more convenient and safety operation.
- Auto-Feed device feed and back soft shaft with maximum speed of 5m/min.
- Drum spin at 300rpm.
- Input power: 390W



Catalog No.	Model No.	Power	Description	Weight (Kg)	Packing size (cm)
634060	WP-330ZK	390W, 220V	$\Phi 12.7\text{mm} \times 15\text{m}$ (1/2" * 50') inner core cable 4 pieces $\Phi 16\text{mm}$ drill head	50	57*38*65
634061	WP-330ZK	390W, 110V	$\Phi 12.7\text{mm} \times 15\text{m}$ (1/2" * 50') inner core cable 4 pieces $\Phi 16\text{mm}$ drill head	50	57*38*65
634062	WP-330ZK	390W, 220V	$\Phi 10\text{mm} \times 23\text{m}$ (3/8" * 75') inner core cable 4 pieces $\Phi 16\text{mm}$ drill head (optional)	50	57*38*65
634063	WP-330ZK	390W, 110V	$\Phi 10\text{mm} \times 23\text{m}$ (3/8" * 75') inner core cable 4 pieces $\Phi 16\text{mm}$ drill head (optional)	50	57*38*63



Drain Cleaning Machine


Electric drain cleaners

The Welping drain cleaner series are applicable to removal of various blockages of pipelines. The series adopt flexible shafts, the combination of high-speed rotating system and manual propelling or automatic feeding system to drive the drill to remove effectively various debris, greases, roots, wastes and chemical deposits etc. stuck on pipeline.

- Applicable for both indoor and outdoor of $\Phi 32\sim 100\text{mm}$ (1 1/4"-4") in lavatories, bathrooms and kitchens. With $\Phi 10\text{mm}$ or $\Phi 12.7\text{mm}$ (3/8" or 1/2") inner core cable.
- Entirely sealed structure, flexible soft shafts are put in drum, to ensure cleaner and more convenient use. With 8" solid rubber wheel and removable handle, easily moving, light and handy, save time and effort.
- Built-in Ground fault circuit interrupter (GFCI) and air foot switch, more convenient and safety operation.
- Auto-Feed device feed and back soft shaft with maximum speed of 5m/min.
- Drum spin at 300rpm.
- Input power: 390W



Catalog No.	Model No.	Power	Description	Weight (Kg)	Packing size (cm)
634070	WP-360ZF	390W, 220V	$\Phi 12.7\text{mm} \times 15\text{m}$ (1/2" * 50') inner core cable 4 pieces $\Phi 16\text{mm}$ drill head	50	57*38*65
634071	WP-360ZF	390W, 110V	$\Phi 12.7\text{mm} \times 15\text{m}$ (1/2" * 50') inner core cable 4 pieces $\Phi 16\text{mm}$ drill head	50	57*38*65
634072	WP-360ZF	390W, 220V	$\Phi 10\text{mm} \times 23\text{m}$ (3/8" * 75') inner core cable 4 pieces $\Phi 16\text{mm}$ drill head (optional)	50	57*38*65
634073	WP-360ZF	390W, 110V	$\Phi 10\text{mm} \times 23\text{m}$ (3/8" * 75') inner core cable 4 pieces $\Phi 16\text{mm}$ drill head (optional)	50	57*38*65



Drain Cleaning Machine


Electric drain cleaners

The Welping drain cleaner series are applicable to removal of various blockages of pipelines. The series adopt flexible shafts, the combination of high-speed rotating system and manual propelling or automatic feeding system to drive the drill to remove effectively various debris, greases, roots, wastes and chemical deposits etc. stuck on pipeline.

- Applicable for both indoor and outdoor of $\Phi 32\sim 100\text{mm}$ (1 1/4"-4") in lavatories, bathrooms and kitchens. With $\Phi 10\text{mm}$ or $\Phi 12.7\text{mm}$ (3/8" or 1/2") inner core cable.
- Open cage drum easily to inspect cable working and reserve for avoiding rusty problem. With 8" solid rubber wheel and removable handle, easily moving, light and handy, save time and effort.
- Built-in Ground fault circuit interrupter (GFCI) and air foot switch, more convenient and safety operation.
- Auto-Feed device feed and back soft shaft with maximum speed of 5m/min.
- Drum spin at 300rpm.
- Input power: 390W



Catalog No.	Model No.	Power	Description	Weight (Kg)	Packing size (cm)
634080	WP-360ZK	390W, 220V	$\Phi 12.7\text{mm} \times 15\text{m}$ (1/2" * 50') inner core cable 4 pieces $\Phi 16\text{mm}$ drill head	50	57*38*65
634081	WP-360ZK	390W, 110V	$\Phi 12.7\text{mm} \times 15\text{m}$ (1/2" * 50') inner core cable 4 pieces $\Phi 16\text{mm}$ drill head	50	57*38*65
634082	WP-360ZK	390W, 220V	$\Phi 10\text{mm} \times 23\text{m}$ (3/8" * 75') inner core cable 4 pieces $\Phi 16\text{mm}$ drill head (optional)	50	57*38*65
634083	WP-360ZK	390W, 110V	$\Phi 10\text{mm} \times 23\text{m}$ (3/8" * 75') inner core cable 4 pieces $\Phi 16\text{mm}$ drill head (optional)	50	57*38*65



Drain Cleaning Machine

Electric drain cleaners

The Welping drain cleaner series are applicable to removal of various blockages of pipelines. The series adopt flexible shafts, the combination of high-speed rotating system and manual propelling or automatic feeding system to drive the drill to remove effectively various debris, greases, roots, wastes and chemical deposits etc. stuck on pipeline.

- Applicable for both indoor and outdoor of $\Phi 32 \sim 100\text{mm}$ (1 ¼" - 4") in lavatories, bathrooms and kitchens. With $\Phi 10\text{mm}$ or $\Phi 12.7\text{mm}$ (3/8" or 1/2") inner-core cable,
- Open cage drum easily to inspect cable working and reserve for avoiding rusty problem. With 8" solid rubber wheel and removable handle, easily moving, light and handy, save time and effort.
- Auto-Feed device feed and back soft shaft.
- Drum spin at 300rpm.
- Input power: 390W

Removable handle
easily moving, light and handy, save time and effort

Solid Core Cable
High Intensity Anti-twisting Anti-kinking

Integrated Transport Cart
easy movement to and from the job site
Heavy-duty, large wheels easily navigate over bumps and up stairs




WP-360KS



WP-360KS-1

Catalog No.	Model No.	Power	Description	Weight (Kg)	Packing size (cm)
634090	WP-360KS	390W, 220V	$\Phi 12.7\text{mm} \times 15\text{m}$ (1/2" * 50') inner core cable 4 pieces $\Phi 16\text{mm}$ drill head	49	57*38*65
634091	WP-360KS	390W, 110V	$\Phi 12.7\text{mm} \times 15\text{m}$ (1/2" * 50') inner core cable 4 pieces $\Phi 16\text{mm}$ drill head	49	57*38*65
634092	WP-360KS	390W, 220V	$\Phi 10\text{mm} \times 23\text{m}$ (3/8" * 75') inner core cable 4 pieces $\Phi 16\text{mm}$ drill head (optional)	49	57*38*65
634093	WP-360KS	390W, 110V	$\Phi 10\text{mm} \times 23\text{m}$ (3/8" * 75') inner core cable 4 pieces $\Phi 16\text{mm}$ drill head (optional)	49	57*38*65
634094	WP-360KS-1	390W, 220V	$\Phi 12.7\text{mm} \times 15\text{m}$ (1/2" * 50') inner core cable 4 pieces $\Phi 16\text{mm}$ drill head	50	57*38*65
634095	WP-360KS-1	390W, 110V	$\Phi 12.7\text{mm} \times 15\text{m}$ (1/2" * 50') inner core cable 4 pieces $\Phi 16\text{mm}$ drill head	50	57*38*65
634096	WP-360KS-1	390W, 220V	$\Phi 10\text{mm} \times 23\text{m}$ (3/8" * 75') inner core cable 4 pieces $\Phi 16\text{mm}$ drill head (optional)	50	57*38*65
634097	WP-360KS-1	390W, 110V	$\Phi 10\text{mm} \times 23\text{m}$ (3/8" * 75') inner core cable 4 pieces $\Phi 16\text{mm}$ drill head (optional)	50	57*38*65



Grease Cutter

C-Cutter

Bulb Auger

Side Cutter Blade

Drain Cleaning Machine

Electric drain cleaners

The Welping drain cleaner series are applicable to removal of various blockages of pipelines. The series adopt flexible shafts, the combination of high-speed rotating system and manual propelling or automatic feeding system to drive the drill to remove effectively various debris, greases, roots, wastes and chemical deposits etc. stuck on pipeline.

- Applicable for both indoor and outdoor of $\Phi 32\sim 100\text{mm}$ (1 ¼"-4") in lavatories, bathrooms and kitchens. With $\Phi 12.7\text{mm}$ (1/2") Inner-core cable.
- Entirely sealed structure, flexible soft shafts are put in drum, to ensure cleaner and more convenient use.
- Drum spin at 250rpm, cable feeding speed 5m/min.
- Input power: 390W







Catalog No.	Model No.	Power	Description	Weight (Kg)	Packing size (cm)
634100	WP-1000A	390W, 220V	$\Phi 12.7\text{mm} \times 15\text{m}$ (1/2" * 50') inner core cable 4 pieces $\Phi 16\text{mm}$ drill head	60	72*65*83
634101	WP-1000A	390W, 110V	$\Phi 12.7\text{mm} \times 15\text{m}$ (1/2" * 50') inner core cable 4 pieces $\Phi 16\text{mm}$ drill head	60	72*65*83
634102	WP-1000B	390W, 220V	$\Phi 12.7\text{mm} \times 23\text{m}$ (1/2" * 75') inner core cable 4 pieces $\Phi 16\text{mm}$ drill head	60	72*65*83
634103	WP-1000B	390W, 110V	$\Phi 12.7\text{mm} \times 23\text{m}$ (1/2" * 75') inner core cable 4 pieces $\Phi 16\text{mm}$ drill head	60	72*65*83
634104	WP-1000C	390W, 220V	$\Phi 12.7\text{mm} \times 30\text{m}$ (1/2" * 100') inner core cable 4 pieces $\Phi 16\text{mm}$ drill head	60	72*65*83
634105	WP-1000C	390W, 110V	$\Phi 12.7\text{mm} \times 30\text{m}$ (1/2" * 100') inner core cable 4 pieces $\Phi 16\text{mm}$ drill head	60	72*65*83







Drain Cleaning Machine

Electric drain cleaners

Pic	Description	Catalog No.	Diameter (mm)	Length (mm)	Weight (g)	Applicable soft shaft	Applicable Type
	Straight Auger	635010	16	135	75	Φ16	WP75 WP150 AP150 AP100
	Bulb Auger	635011	16	100	75	Φ16	WP75
	Flexible Bulb Auger	635012	16	130	95	Φ16	WP75 WP150 AP150
	Retrieving Auger	635013	16	135	55	Φ16	WP75 WP150 AP150 AP100
	4-Blade Cutter	635014	16	35	35	Φ16	WP75 WP150 AP150 AP100
	Grease Cutter	635015	16	37	25	Φ16	WP75 AP100
	Sawtooth Cutter	635016	16	28	45	Φ16	WP75
	C cutter	635017	16	40	20	Φ16	WP75





Pic	Description	Catalog No.	Diameter (mm)	Length (mm)	Weight (g)	Applicable soft shaft	Applicable Type
	Bulb Auger	635018	16	100	75	Φ12.7	WP-1000
	Retrieving Auger	635019	16	135	55	Φ12.7	WP-1000
	Grease Cutter	635020	16	37	25	Φ12.7	WP-1000
	Sawtooth Cutter	635021	16	28	45	Φ12.7	WP-1000





Pic	Description	Catalog No.	Diameter (mm)	Length (mm)	Weight (g)	Applicable soft shaft	Applicable Type
	Straight Auger	635022	22	190	165	Φ22	WP150 AP150
	Funnel Auger	635023	22	140	165	Φ22	WP150 AP150
	4-Blade Cutter	635024	22	65	100	Φ22	WP150 AP150
	Grease Cutter	635025	22	57	60	Φ22	WP150 AP150

Drain Cleaning Machine

Drill heads













Pic	Description	Catalog No	Diameter (mm)	Length (mm)	Weight (g)	Applicable soft shaft	Applicable Type
	Straight Auger	635026	30	265	370	Φ30	WP200 WP200-1 WP200-1A AP200
	Funnel Auger	635027	30	195	575	Φ30	WP200 WP200-1 WP200-1A AP200
	Retrieving Auger	635028	30	205	365	Φ30	WP200 WP200-1 WP200-1A AP200
	Grease Cutter	635029	30	80	160	Φ30	WP200 WP200-1 WP200-1A AP200
	Sawtooth cutter	635030	30	75	270	Φ30	WP200 WP200-1 WP200-1A AP200
	C cutter	635031	30	120	150	Φ30	WP200 WP200-1 WP200-1A AP200

Pic	Description	Catalog No.	Diameter (mm)	Length (mm)	Weight (g)	Applicable soft shaft	Applicable Type
	Straight Auger	635032	22	250	360	Φ8 Bar Elastic	WP600
	Retrieving Auger	635033	22	250	330	Φ8 Bar Elastic	WP600
	Grease Cutter	635034	22	240	320	Φ8 Bar Elastic	WP600
	Sawtooth cutter	635035	22	250	430	Φ8 Bar Elastic	WP600

Pic	Description	Catalog No.	Diameter (mm)	Length (mm)	Weight (g)	Applicable soft shaft	Applicable Type
	Bulb Auger	635035	16	70	75	Φ12.7	WP300F, WP300K WP330ZF, WP330ZK WP360ZF, WP360ZK WP360KS, WP360KS-1
	Grease Cutter	635036	16	35	35	Φ12.7	WP300F, WP300K WP330ZF, WP330ZK WP360ZF, WP360ZK WP360KS, WP360KS-1
	Side Cutter Blades	635037	16	50	55	Φ12.7	WP300F, WP300K WP330ZF, WP330ZK WP360ZF, WP360ZK WP360KS, WP360KS-1
	C cutter	635038	16	85	55	Φ12.7	WP300F, WP300K WP330ZF, WP330ZK WP360ZF, WP360ZK WP360KS, WP360KS-1

Drain Cleaning Machine

Drill heads

<p>Drop Head Auger</p> <p>For cleaning back to back mounted fixtures e.g. , sinks where cable needs to be led into down pipe.</p>  	<p>Straight Auger</p> <p>For use in exploring and breaking up stoppages or returning sample to surface to determine correct tool.</p>  	<p>Funnel Auger</p> <p>For use in as second tool in line. Breaks up remains of stoppage left by straight auger.</p>  
<p>Retrieving Auger</p> <p>Used to bring back soft shafts or drills left in pipes, and clean blockages caused by weaving materials</p>  	<p>4-Blade Cutter</p> <p>For blockages caused by hardened, glazed material such as chemical deposits.</p>  	<p>Grease Cutter</p> <p>For following up after auger have been used and to open up floor drains.</p>  

<p>Flexible Bulb Auger</p> <p>Used in pipelines difficult to clean, with good flexibility, and good introducing functions.</p>  	<p>Sawtooth Cutter</p> <p>For clearing any stoppage, roots, rags, sticks, etc.</p>  	<p>Greasa™ C" Cutter</p> <p>For grease blockage in lines leading from garbage disposal unit or waste pipe.</p>  	<p>Bulb Auger</p> <p>The most common tool for cleaning pipes and drains with tight or multiple bends.</p>  
---	---	---	--



Hangzhou Welping Machinery Equipment Co., Ltd

Phone: 00 86 571 89332538

E-mail: top@welping.cn Web: www.welpingtool.com

Office address: Room 1904 Building 1, Taifu Plaza, No. 1 Tonghui Middle Road,
Xiaoshan District, Hangzhou

Factory address: No. 2 Jinyuan Road, Puyang Town, Xiaoshan District, Hangzhou, China